Brain Research, 420 (1987) 407–409
Elsevier

Author Index

Allen, M.J., see McKinley, M.J., 375
Assumel-Lurdin, C., see Hamel, E., 391
Autilio-Gambetti, L., see Perry, G., 233

Baas, P.W., Sinclair, G.I. and Heidemann, S.R., Role of microtubules in the cytoplasmic compartmentation of neurons, 73
Baker, L.L. and Chandler, S.H., Characterization of hindlimb motoneuron membrane properties in acute and chronic spinal cats, 333
Baker, L.L. and Chandler, S.H., Characterization of postsynaptic potentials evoked by sural nerve stimulation in hindlimb motoneurons from acute and chronic spinal cats, 340
Ban, T., see Usami, K., 167
Bartfai, T., see Nordström, 371
Batt, C.M., see Wright, J.W., 289
Baulac, M., Lachapelle, F., Gout, O., Berger, B., Baumann, N. and Gumpel, M., Transplantation of oligodendrocytes in the newborn mouse brain: extension of myelination by transplanted cells. Anatomical study, 39
Baumann, N., see Baulac, M., 39
Ben-Jonathan, N., see Murai, I., 227
Benshoff, H.M., Brainard, G.C., Rollag, M.D. and Lynch, G.R., Suppression of pineal melatonin in *Peromyscus leucopus* by different monochromatic wavelengths of visible and near-ultraviolet light (UV-A), 397
Berger, B., see Baulac, M., 39
Blessing, W.W., see Pilowsky, P.M., 380
Bliss Tieman, S., Cangro, C.B. and Neale, J.H., *N*-Acetylaspartylglutamate immunoreactivity in neurons of the cat's visual system, 188
Bovell, M., see MacMillan, V., 268
Brainard, G.C., see Benshoff, H.M., 397
Brenneman, D.E., see Guthrie, P.B., 313
Bridges, R.S., see Hammer, Jr., R.P., 48

Cangro, C.B., see Bliss Tieman, S., 188
Cannata, M.A., Musi, E.A. and Gomez, R.E., Effect of transection in the brainstem on short-term maintenance of deoxycorticosterone–salt hypertension, 295
Cavanagh, M.E., see Papadopoulos, G.C., 95
Chalmers, J.P., see Pilowsky, P.M., 380
Chandler, S.H., see Baker, L.L., 333
Chandler, S.H., see Baker, L.L., 340
Chiodera, P. and Coiro, V., Oxytocin reduces metyrapone-induced ACTH secretion in human subjects, 178
Choi, D.W., see Peters, S., 1
Chung, T., see MacMillan, V., 268
Clevers, J., see McKinley, M.J., 375
Coiro, V., see Chiodera, P., 178
Crabbe, J.C., see Goldman, D., 220

Denton, D.A., see Weisinger, R.S., 135
DiMicco, J.A., see Shekhar, A., 118
Domino, E.F., see Pohorecki, R., 199
Dooley, D.J., Jones, G.H. and Robbins, T.W., Noradrenaline- and time-dependent changes in neocortical α_2- and β_1-adrenoceptor binding in dorsal noradrenergic bundle-lesioned rats, 152
Duffy, K.R. and Pardridge, W.M., Blood–brain barrier transcytosis of insulin in developing rabbits, 32

Edvinsson, L., see Hamel, E., 391
Eliaz, M., see Nordström, O., 371
Emerick, S.G., see Hernandez, D.E., 129

Fage, D., see Hamel, E., 391
Fang, F.G., Moreau, J.-L. and Fields, H.L., Dose-dependent antinociceptive action of neurotensin microinjected into the rostroventromedial medulla of the rat, 171
Feldman, P.D. and Moises, H.C., Adrenergic responses of baroreceptive cells in the nucleus tractus solitarii of the rat: a microiontophoretic study, 351
Fields, H.L., see Fang, F.G., 171
French, J., see Pohorecki, R., 199
French, P.W., Sheppard, A.M. and Jeffrey, P.L., Neural membrane glycoproteins associated with chicken Thy-1: an anti-idiotypic antibody study, 324
Friedman, R., see Perry, G., 233

Gambetti, P., see Perry, G., 233
Goldman, D., Lister, R.G. and Crabbe, J.C., Mapping of a putative genetic locus determining ethanol intake in the mouse, 220
Gomez, R.E., see Cannata, M.A., 295
Gottfries, C.G., see Nordström, O., 371
Gout, F., see Baulac, M., 39
Grantham, P., see Hall, M.E., 82
Grantyn, R., Perouansky, M., Lux, H.D. and Hablitz, J.J., Glutamate-induced ionic currents in cultured neurons from the rat superior colliculus, 182
Gruol, D.L., see Yool, A.J., 205
Gumpel, M., see Baulac, M., 37
Guthrie, P.B., Brenneman, D.E. and Neale, E.A., Morphological and biochemical differences expressed in separate dissociated cell cultures of dorsal and ventral halves of the mouse spinal cord, 313

Hablitz, J.J., see Grantyn, R., 182
Hall, M.E., Grantham, P., Limoli, J. and Stewart, J.M., Effects of substance P and neurokinin A (substance K) on motor behavior: unique effect of substance P attributable to its amino-terminal sequence, 82
Hamel, E., Assumel-Lurdin, C., Edvinsson, L., Fage, D. and MacKenzie, E.T., Neuronal versus endothelial origin of vasoactive acetylcholine in pial vessels, 391
Hammer, Jr., R.P. and Bridges, R.S., Preoptic area opioids and opiate receptors increase during pregnancy and decrease during lactation, 48
Harding, J.W., see Wright, J.W., 289
Heidemann, S.R., see Baas, P.W., 73
Hernandez, D.E., Jennes, C. and Emerick, S.G., Brain vasoactive intestinal peptide: a potent stimulant of gastric acid secretion, 129

Heyman, J.S., Mulvaney, S.A., Mosberg, H.I. and Porreca, F., Opioid δ-receptor involvement in supraspinal and spinal antinociception in mice, 100
Hingtgen, J.N., see Shekhar, A., 118
Horie, H., Takenaka, T., Ito, S. and Kim, S.U., Taxol counteracts colchicine blockade of axonal transport in neurites of cultured dorsal root ganglion cells, 144
Hui Kang, D., see Perry, G., 233

Ichikawa, M., Synaptic reorganization in the medial amygdaloid nucleus after lesion of the accessory olfactory bulb of adult rat. I. Quantitative and electron microscopic study of the recovery of synaptic density, 243
Ichikawa, M., Synaptic reorganization in the medial amygdaloid nucleus after lesion of the accessory olfactory bulb of adult rat. II. New synapse formation in the medial amygdaloid nucleus by fibers from the bed nucleus of the stria terminalis, 253
Imai, S., see Onozuka, M., 259
Ito, S., see Horie, H., 144

Jeffrey, P.L., see French, P.W., 324
Jennes, C., see Hernandez, D.E., 129
Jones, G.H., see Dooley, D.J., 152
Joseph, S.A., see Zuniga, J.R., 57 and 66

Kim, S.U., see Horie, H., 144
Kito, S., see Miyoshi, R., 302
Kishii, K., see Onozuka, M., 259
Knigge, K.M., see Zuniga, J.R., 57 and 66
Kolodny, J.M., see Riskind, P.N., 194

Lachapelle, F., see Baulac, M., 39
Leake, J., see MacMillan, V., 268
Limoli, J., see Hall, M.E., 82
Lister, R.G., see Goldman, D., 220
Löscher, W. and Schwark, W.S., Further evidence for abnormal GABAergic circuits in amygdala-kindled rats, 385
Lucki, I. and Minugh-Purvis, N., Serotonin-induced head shaking behavior in rats does not involve receptors located in the frontal cortex, 403
Lux, H.D., see Grantyn, R., 182
Lynch, G.R., see Benshoff, H.M., 397

MacKenzie, E.T., see Hamel, E., 391
MacMillan, V., Leake, J., Chung, T. and Bovell, M., The effect of valproic acid on the 5-hydroxyindoleacetic, homovanillic and lactic acid levels of cerebrospinal fluid, 268
MacVicar, B.A., Morphological differentiation of cultured astrocytes is blocked by cadmium or cobalt, 175
Malsbury, C.W. and McKay, K., A sex difference in the pattern of substance P-like immunoreactivity in the bed nucleus of the stria terminalis, 365
Matsubayashi, H., see Miyoshi, R., 302
McKay, K., see Malsbury, C.W., 365
McKinley, M.J., see Weisinger, R.S., 135
McKinley, M.J., Allen, A.M., Clevers, J., Paxinos, G. and Mendelsohn, F.A.O., Angiotensin receptor binding in human hypothalamus: autoradiographic localization, 375
Mendelsohn, F.A.O., see McKinley, 375
Menetto, V., see Perry, G., 233
Meyer, D.L., see von Bartheld, C.S., 277
Mifflin, S. and Richter, D.W., The effects of QX-314 on medullary respiratory neurones, 22
Minson, J.B., see Pilowsky, P.M., 380
Minugh-Purvis, N., see Lucki, I., 403
Miyoshi, R., Kito, S., Shimizu, M. and Matsubayashi, H., Ontogeny of muscarinic receptors in the rat brain with emphasis on the differentiation of M_1- and M_2-subtypes — semi-quantitative in vitro autoradiography, 302
Moises, H.C., see Feldman, P.D., 351
Morales, E. and Tapia, R., Neurotransmitters of the cerebellar glomeruli: uptake and release of labeled γ-aminobutyric acid, glycine, serotonin and choline in a purified glomerulus fraction and in granular layer slices, 11
Moreau, J.-L., see Fang, F.G., 171
Morris, M.J., see Pilowsky, P.M., 380
Mosberg, H.I., see Heyman, J.S., 100
Mulvaney, S.A., see Heyman, J.S., 100
Murai, I. and Ben-Jonathan, N., Prolactin secretion in posterior pituitary lobectomized rats: differential effects of 5-hydroxytryptophan and ether, 227
Musi, E.A., see Cannata, M.A., 295

Nabatame, H., see Sasa, M., 157
Neale, E.A., see Guthrie, P.B., 313
Neale, J.H., see Bliss Tieman, S., 188
Nishi, S., see Yoshimura, M., 147
Nordström, O., Eliaz, M., Bartfai, T. and Gottfries, C.-G., Increased affinity of choline acetyltransferase for choline in Alzheimer's disease: a steady-state kinetic study, 371

Ohno, Y., see Sasa, M., 157
Onozuka, M., Kishii, K., Imai, S. and Ozono, S., Modification of the Na^+,K^+-pump of glial cells within cobalt-induced epileptogenic cortex of rat, 259
Osborne, P.G., see Weisinger, R.S., 135
Ozono, S., see Onozuka, M., 259

Papadopoulos, G.C., Parnavelas, J.G. and Cavanagh, M.E., Extensive co-existence of neuropeptides in the rat visual cortex, 95
Pardridge, W.M., see Duffy, K.R., 32
Parnavelas, J.G., see Papadopoulos, G.C., 95
Paxinos, G., see McKinley, M.J., 375
Peck, C.K., Visual–auditory interactions in cat superior colliculus: their role in the control of gaze, 162
Perouansky, M., see Grantyn, R., 182
Perry, G., Friedman, R., Hui Kang, D., Menetto, V., Autilio-Gambetti, L. and Gambetti, P., Antibodies to the neuronal cytoskeleton are elicited by Alzheimer paired helical filament fractions, 233
Peters, S. and Choi, D.W., Quinolinate is a weak excitant of cortical neurons in cell culture, 1
Pilowsky, P.M., Morris, M.J., Minson, J.B., West, M.J., Chalmers, J.P., Willoughby, J.O. and Blessing, W.W., Inhibition of vasodepressor neurons in the caudal ventrolateral medulla of the rabbit increases both arterial pressure and the release of neuropeptide Y-like immunoreactivity from the spinal cord, 380
Pohorecki, R., French, J. and Domino, E.F., Extracellular calcium alters frequency modulation of [^{3}H]acetylcholine release from rat hippocampal slices, 199
Polosa, S., see Yoshimura, M., 147
Porreca, F., see Heyman, J.S., 100

Quirk, W.S., see Wright, J.W., 289

Reed Larsen, P., see Riskind, P.N., 194
Richter, D.W., see Mifflin, S., 22
Riskind, P.N., Kolodny, J.M. and Reed Larsen, P., The regional hypothalamic distribution of type II 5′-monodeiodinase in euthyroid and hypothyroid rats, 194
Robbins, T.W., see Dooley, D.J., 152
Rollag, M.D., see Benshoff, H.M., 397

Sasa, M., Ohno, Y., Nabatame, H., Yoshimura, N. and Takaori, S., Effects of L-*threo*-DOPS, an L-noradrenaline precursor, on locus coeruleus-originating neurons in spinal trigeminal nucleus, 157
Schwark, W.S., see Löscher, W., 385
Shekhar, A., Hingtgen, J.N. and DiMicco, J.A., Selective enhancement of shock avoidance responding elicited by GABA blockade in the posterior hypothalamus of rats, 118
Sheppard, A.M., see French, P.W., 324
Shimizu, M., see Miyoshi, R., 302
Shingai, R., see Usami, K., 167
Sinclair, G.I., see Baas, P.W., 73
Smith, T.L. and Yamamura, H.I., Competitive inhibition of phosphoinositide hydrolysis by the muscarinic receptor antagonist AF-DX 116 is of low affinity in mouse cerebral cortex, 362
Steward, O., see Sutula, T., 109
Stewart, J.M., see Hall, M.E., 82
Sullivan, M.J., see Wright, J.W., 289
Sutula, T. and Steward, O., Facilitation of kindling by prior induction of long-term potentiation in the perforant path, 109

Takaori, S., see Sasa, M., 157
Takenaka, T., see Horie, H., 144
Tapia, R., see Morales, E., 11
Tarjan, E., see Weisinger, R.S., 135

Usami, K., Shingai, R. and Ban, T., Muscarinic cholinergic receptor binding and electrophysiological response to acetylcholine in cultured rat caudate putamen nucleus neurons, 167

von Bartheld, C.S. and Meyer, D.L., Comparative neurology of the optic tectum in ray-finned fishes: patterns of lamination formed by retinotectal projections, 277

Weisinger, R.S., Denton, D.A., McKinley, M.J., Osborne, P.G. and Tarjan, E., Decrease of brain extracellular fluid [Na] and its interaction with other factors influencing sodium appetite in sheep, 135
West, M.J., see Pilowsky, P.M., 380
Willoughby, J.O., see Pilowsky, P.M., 380
Wright, J.W., Sullivan, M.J., Quirk, W.S., Batt, C.M. and Harding, J.W., Heightened blood pressure and drinking responsiveness to intracerebroventricularly applied angiotensins in the spontaneously hypertensive rat, 289

Yamamura, H.I., see Smith, T.L., 362
Yool, A.J. and Gruol, D.L., Development of spontaneous and glutamate-evoked activity is altered by chronic ethanol in cultured cerebellar Purkinje neurons, 205
Yoshimura, M., Polosa, S. and Nishi, S., Noradrenaline induces rhythmic bursting in sympathetic preganglionic neurons, 147
Yoshimura, N., see Sasa, M., 157

Zuniga, J.R., Joseph, S.A. and Knigge, K.M., The effects of nitrous oxide on the central endogenous pro-opiomelanocortin system in the rat, 57
Zuniga, J.R., Joseph, S.A. and Knigge, K.M., The effects of nitrous oxide on the secretory activity of pro-opiomelanocortin peptides from basal hypothalamic cells attached to cytodex beads in a superfusion in vitro system, 66